Drawing Sheet 1 of 9

Title: Method For Propagating Look And Feel In A Graphical User Interface

Inventor(s): Olander, et al.

Application No.: Not You Docket No.: BEAS

Filing date:

Not Yet Assigned BEAS-01404US0 Telephone No.: Filed Herewith Express Mail No.:

Attorney: Daniel J. Burns
Telephone No.: (415) 362-3800
Express Mail No.: EV327622038US




Figure 1

Drawing Sheet 2 of 9

Title: Method For Propagating Look And Feel In A Graphical User Interface


Inventor(s): Olander, et al.

Application No.: Docket No.: Filing date:

Not Yet Assigned BEAS-01404US0 Filed Herewith

Attorney: Telephone No.: (415) 362-3800

Daniel J. Burns Express Mail No.: EV327622038US



Drawing Sheet 3 of 9

Title: Method For Propagating Look And Feel In A Graphical User Interface

Inventor(s): Olander, et al.

Application No.: Not Yet Assigned Docket No.: BEAS-01404US0 Filled Herewith Filed Herewith Search Se




Figure 3

Drawing Sheet 4 of 9

Method For Propagating Look And Feel In A Graphical User Interface r(s): Olander, et al. tion No.: Not Yet Assigned Attorney: Daniel J. Burns No.: BEAS-01404US0 Telephone No.: (415) 362-3800

Inventor(s):
Application No.:

Docket No.: Filing date:

Filed Herewith

Telephone No.: (415) 362-3800 Express Mail No.: EV327622038US




Figure 4

Drawing Sheet 5 of 9

Method For Propagating Look And Feel In A Graphical User Interface Title:

Inventor(s):

Filing date:

Application No.: Docket No.:

or Propagating Look.

Olander, et al.

Not Yet Assigned BEAS-01404US0 Telephone No.: (415) 362-3800

Express Mail No.: EV327622038US




Figure 5

Drawing Sheet 6 of 9

Method For Propagating Look And Feel In A Graphical User Interface
(s): Olander, et al.
ion No.: Not Yet Assigned Attorney: Daniel J. Burns Title:

Inventor(s):

Application No.: Docket No.: Filing date:

BEAS-01404US0 Telephone No.: (415) 362-3800 Express Mall No.: EV327622038US




Figure 6

Drawing Sheet 7 of 9

Method For Propagating Look And Feel In A Graphical User Interface Title:

Inventor(s):

Application No.: Docket No.: Filing date:

or Propagating Look.

Olander, et al.

Not Yet Assigned BEAS-01404US0 Telephone No.: (415) 362-3800

Express Mail No.: EV327622038US

<u>700</u>




Figure 7

Drawing Sheet 8 of 9

Title: Method For Propagating Look And Feel In A Graphical User Interface

Inventor(s):

Olander, et al.
Not Yet Assigned Attorney:
BEAS-01404US0 Telephone

Daniel J. Burns Telephone No.: (415) 362-3800 Express Mail No.: EV327622038US

Application No.: Docket No.: Filing date: Filed Herewith

> Interchangeable Interchangeable Lifecycle Driver Persistence Driver 804 806 Porlet Container **Control Factory** 808 802 **Control Tree Container** 800 Response Client 810

Figure 8

```
Drawing Sheet 9 of 9
```

Method For Propagating Look And Feel In A Graphical User Interface

Inventor(s): Olander, et al.

Filing date:

Filed Herewith

Application No.: Not Yet Assigned Attorney: Daniel J. Burns Docket No.: BEAS-01404US0 Telephone No.: (415) 362-3800 Express Mail No.: EV327622038US

```
<%@page
import="com.bea.netuix.servlets.controls.window.WindowPresentationContext,com.bea.netu
ix.servlets.controls.window.TitlebarContext"
%>
<@@ taglib uri="render.tld" prefix="render" %>
<% WindowPresentationContext window =</p>
WindowPresentationContext.getWindowPresentationContext(request);
  TitlebarContext titlebar
    = (TitlebarContext) window.getFirstChild("window:titlebar");
  String expandWidth = "100%";
%>
<render:beginRender>
<div
  <render:writeAttribute name="id" value="<%= window.getPresentationId() %>"/>
  <render:writeAttribute name="class" value="<%= window.getPresentationClass() %>"
    defaultValue="bea-portal-window"/>
  <render:writeAttribute name="style" value="<%= window.getPresentationStyle() %>"/>
  <render:writeAttribute name="width"
    value="<%= window.isPacked()? null: expandWidth %>"/>
<% if (titlebar != null) { %>
  <render:renderChild presentationContext="<%= titlebar %>"/>
  <div class="bea-portal-window-content">
</render:beginRender>
<render:endRender>
  </div>
</div>
</render:endRender>
```